Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	12	((DAVID) near2 (MINTURN)).INV.	US-PGPUB; USPAT	OR	OFF	2007/09/12 11:37
S2	35424	(nic or (network adj interface adj card\$1)) packet and hash\$3	US-PGPUB; USPAT	OR	OFF	2007/09/12 11:42
S3	30463	(nic or (network adj interface adj card\$1)) packet and hash\$3 and context	US-PGPUB; USPAT	OR	OFF	2007/09/12 11:43
S4	717	(nic or (network adj interface adj card\$1)) and packet and hash\$3 and context	US-PGPUB; USPAT	OR	OFF	2007/09/12 11:44
S5	488	(nic or (network adj interface adj card\$1)) and packet and hash\$3 and context and cach\$3	US-PGPUB; USPAT	OR	OFF	2007/09/12 12:52
S6	94	(nic or (network adj interface adj (card or controller))) and (packet near2 context) and hash\$3 and cach\$3 and table	US-PGPUB; USPAT	OR	OFF	2007/09/13 10:29
S7	1808	709/250.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/12 13:00
S8	29604522	(@pd<"20031230" @rlad<"20031230")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/12 16:11
S9.	1248	S7 and S8	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/12 13:01
S10	25	S6 and S9	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/12 15:41
S12	63701	((network adj (card or controller or adapter)) or nic or (network adj interface adj (card or controller or adapter)))	US-PGPUB; USPAT	OR	OFF	2007/09/12 16:05
S13	889	(cache\$3 same memory) and hash\$3 and (prefetch\$3 or pre adj fetch)	US-PGPUB; USPAT	OR	OFF	2007/09/12 17:17
S14	. 1	S9 and S11 and S12 and S13	US-PGPUB; USPAT	OR	OFF	2007/09/12 17:18

				,		
S16	9945	S11 near2 context	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/12 16:52
S17	76	S12 same S16	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/12 16:10
S18	5	S9 and S17	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/12 16:11
S19	20590	S11 near2 ring	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/12 16:53
S20	448	S12 and S19	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/12 16:53
S21	25	S9 and S20	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/12 16:54
S22	11972	(cache\$3 and hash\$3)	US-PGPUB; USPAT	OR	OFF	2007/09/12 17:18
S23	57	S9 and S11 and S12 and S22	US-PGPUB; USPAT	OR	OFF	2007/09/12 17:19
S27	93	(nic or (network adj interface adj (card or controller))) and (packet near2 context) and ((hash\$3 or cach\$3) with table)	US-PGPUB; USPAT	OR	OFF	2007/09/13 11:10
S28	1811	709/250.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/13 10:35
S29	29605210	(@pd<"20031230" @rlad<"20031230")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/13 10:35

S30	1249	S28 and S29	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/13 10:35
S31	26	S27 and S30	US-PGPUB; USPAT	OR	OFF	2007/09/13 10:35
S33	11991	(cache\$3 and hash\$3)	US-PGPUB; USPAT	OR	OFF	2007/09/13 10:44
S36	. 0	S27 and S29 and S35	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/13 10:54
S37	4006920	packet\$1 frame\$1 cell\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/13 11:53
S38	63853	((network adj (card or controller or adapter)) or nic or (network adj interface adj (card or controller or adapter)))	US-PGPUB; USPAT	OR	OFF	2007/09/13 11:21
S39	39691	S38 and S37	US-PGPUB; USPAT	OR	OFF	2007/09/13 11:21
S40	29605210	(@pd<"20031230" @rlad<"20031230")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/13 11:21
S41 _	335	711/216.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/13 11:21
S42	202	S41 and S40	US-PGPUB; USPAT	OR	OFF	2007/09/13 11:22
S43	6	S39 and S42	US-PGPUB; USPAT	OR	OFF	2007/09/13 11:23
S44	22237	((hash\$3 or cach\$3) with table)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/13 11:32
S45	8	S38 and S40 and S41 and S44	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR .	OFF	2007/09/13 11:36

S46	418298	(packet\$1 frame\$1 cell\$1) near2 (content\$1 data context\$1 information composition)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/13 11:58
S47	21182	S46 and S38	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/13 11:59
S48	2	S47 and S40 and S41	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/13 11:59
S49	1811	709/250.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/13 12:02
S50	328	S47 and S40 and S49	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/13 12:03
S51	11991	(cache\$3 and hash\$3)	US-PGPUB; USPAT	OR	OFF	2007/09/13 12:06
S52	56	S50 and S51	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/13 12:03
S53	65	S50 and S44	US-PGPUB; USPAT	OR	OFF	2007/09/13 12:06
S54	186845	((generat\$3 or determin\$3 or associat\$3) near "3" hash)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/13 14:49
S55	63853	((network adj (card or controller or adapter)) or nic or (network adj interface adj (card or controller or adapter)))	US-PGPUB; USPAT	OR	OFF	2007/09/13 14:46
S56	6624	S54 and S55	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/13 14:49

S57	1811	709/250.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/13 14:47
S58	29605210	(@pd<"20031230" @rlad<"20031230")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/13 14:47
S59	1249	S57 and S58	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/13 14:47
S60	82	S56 and S59	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/13 14:50
S61	10066	((generat\$3 or determin\$3 or associat\$3) near3 hash)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/13 16:52
S62	1399	S61 and S55	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/13 16:52
S63	37	S62 and S59	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/13 16:53
S64	335	711/216.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/13 16:01
S65	3	S62 and S58 and S64	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/13 16:29
S66	1322	(calculate near3 hash)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR .	OFF	2007/09/13 16:54

S67	131	S66 and S55	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/13 16:54
S68	0	S67 and S59	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/13 16:54
S69	3531	(calculate\$3 near3 hash)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR ·	OFF	2007/09/13 16:54
S70	348	S69 and S55	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/13 16:54
S71	2	S70 and S59	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/13 16:54
S73	4006920	packet\$1 frame\$1 cell\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR .	OFF	2007/09/14 07:43
S74	63853	((network adj (card or controller or adapter)) or nic or (network adj interface adj (card or controller or adapter)))	US-PGPUB; USPAT	OR	OFF	2007/09/14 07:43
S75	22237	((hash\$3 or cach\$3) with table)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR .	OFF	2007/09/14 07:43
S76	2	S74 same S73 same S75 and S72	US-PGPUB; USPAT	OR	OFF	2007/09/14 07:44
S77	2	"20050198400"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/14 10:51

			,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,			
S78	2	"20040042487"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/14 15:53
S79	2	("6434620").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/14 15:56
S80	2	("6591302").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/14 15:56
S81	56161	"TOE" or (TCP adj offload)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/14 16:00
S82	1811	709/250.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/14 16:01
S83	29605210	(@pd<"20031230" @rlad<"20031230")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/14 16:01
S84	1249	S82 and S83	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/14 16:01
S85	11	S81 and S84	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/14 16:01
S86	12531	((hash\$3 or cach\$3) near2 table)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/15 16:11
S87	335	711/216.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/15 16:12

S88	159	S86 and S87	US-PGPUB; USPAT; EPO; JPO;	OR	OFF	2007/09/15 16:12
			DERWENT; IBM_TDB			
S89	29605210	(@pd<"20031230" @rlad<"20031230")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/15 16:12
S90	94	S88 and S89	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/15 16:12
S91	4006920	packet\$1 frame\$1 cell\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/15 16:15
S92	12531	((hash\$3 or cach\$3) near2 table)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/15 16:15
S93	335	711/216.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/15 16:15
S9 4	159	S92 and S93	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/15 16:15
S95	29605210	(@pd<"20031230" @rlad<"20031230")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/15 16:15
S96	94	S94 and S95	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR .	OFF	2007/09/15 16:15
S97	47	S91 and S96	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/15 16:15

·	·		. _p		,	,
S98	6	(US-20040153578-\$).did. or (US-7174393-\$ or US-6611870-\$ or US-6594665-\$ or US-6442617-\$ or US-6424650-\$).did.	US-PGPUB; USPAT	OR	OFF	2007/09/17 10:08
S99	4	S98 and (hash near2 table)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/17 10:15
S10 0	0	S98 and (context near2 table)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/17 10:15
S10 1	1	S98 and (ip near2 table)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/17 10:25
S10 2	6	(US-20040153578-\$).did. or (US-7174393-\$ or US-6611870-\$ or US-6594665-\$ or US-6442617-\$ or US-6424650-\$).did.	US-PGPUB; USPAT	OR	OFF	2007/09/17 10:26
S10 3	2	S102 and (ip same table)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/17 10:28
S10 4	2	S102 and (ip with table)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/17 10:29
S10 5	67	physical adj memory with hash	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/17 12:13
S10 6	67	(physical adj memory) with hash	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/17 12:13
S10 7	29605126	(@pd<"20031230" @rlad<"20031230")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/17 12:14

					,	
S10 8	35	S106 and S107	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/17 12:14
S10 9	1811	709/250.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/17 12:14
S11 0	0	S108 and S109	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/17 12:14
S11 1	335	711/216.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/17 12:18
S11 2	5	S108 and S111	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/17 12:14
S11 3	35568	"711"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/17 12:18
S11 4	20	S108 and S113	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF ⁻	2007/09/17 12:18
S11 6	9	(US-20040153578-\$ or US-20040123069-\$).did. or (US-7174393-\$ or US-6611870-\$ or US-6594665-\$ or US-6442617-\$ or US-6424650-\$ or US-6393545-\$ or US-5860144-\$).did.	US-PGPUB; USPAT	OR	OFF	2007/09/17 16:34
S11 7	81	hash with cache with line	US-PGPUB; USPAT	OR	OFF	2007/09/17 16:35
S11 8	44	S117 and S107	US-PGPUB; USPAT	OR	OFF	2007/09/17 16:35
S11 9	0	S118 and S109	US-PGPUB; USPAT	OR	OFF	2007/09/17 16:35
S12 0	5	S118 and S111	US-PGPUB; USPAT	OR	OFF	2007/09/17 17:34

646	_	C446 1(1)				
S12 1	3	S116 and (virtual and hash)	US-PGPUB; USPAT	OR	OFF	2007/09/17 17:47
S12 2	2	S116 and (virtual near3 hash)	US-PGPUB; USPAT	OR	OFF	2007/09/17 17:49
S12 3	2	S116 and (virtual near3 hash\$3)	US-PGPUB; USPAT	OR ·	OFF	2007/09/17 17:52
S12 4	354	virtual near3 hash\$3	US-PGPUB; USPAT	OR	OFF	2007/09/17 17:55
S12 5	215	S107 and S124	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/17 17:56
S12 6	0	S109 and S125	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/17 17:56
S12 7	21	S111 and S125	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/18 08:15
S12 8	9	(US-20040153578-\$ or US-20040123069-\$).did. or (US-7174393-\$ or US-6611870-\$ or US-6594665-\$ or US-6442617-\$ or US-6424650-\$ or US-6393545-\$ or US-5860144-\$).did.	US-PGPUB; USPAT	OR	OFF	2007/09/18 08:16
S12 9	1	(receive near3 descriptor) and S128	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/18 08:16
S13 0	9	(US-20040153578-\$ or US-20040123069-\$).did. or (US-7174393-\$ or US-6611870-\$ or US-6594665-\$ or US-6442617-\$ or US-6424650-\$ or US-6393545-\$ or US-5860144-\$).did.	US-PGPUB; USPAT	OR	OFF	2007/09/18 09:10
S13 1	4	S130 and hash with (initial\$7 or setup)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/18 09:19

S13 2	12	(US-20040153578-\$ or US-20040123069-\$).did. or (US-7174393-\$ or US-6424650-\$ or US-6611870-\$ or US-6594665-\$ or US-6442617-\$ or US-6393545-\$ or US-5860144-\$ or US-6430670-\$ or US-6230231-\$ or US-6393544-\$). did.	US-PGPUB; USPAT	OR	OFF	2007/09/18 09:19
S13 3	5	S132 and (hash with (initial\$7 or setup))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/18 12:23
S13 4	5	S132 and (physical near3 address same (cache\$3 or hash\$3)) and offset	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/18 12:25